Annals of Otology, Rhinology and Laryngology

FOUNDED BY JAMES PLEASANT PARKER.

VOL. XIX, 1910.

EDITORIAL STAFF.

H. W. LOEB, M. D	St Louis
Editor-in-Chief.	
T. MELVILLE HARDIE, M. D	Chicago.
JAMES T. CAMPBELL, M. D	Chicago.
G. L. RICHARDS, M. D.	
THOS. J. HARRIS, M. D	
J. L. GOODALE, M. D.	
SAMUEL E. ALLEN, M. D.	
CLEMENT F. THEISEN	
GEO. B. WOOD, M. D	.Philadelphia.
G. ALEXANDER, M. D.	Vienna.
Editor for the Austrian En	npire.
WYATT WINGRAVE, M. D	London.
Editor for England.	
A. Jansen, M. D.	Berlin.
Editor for Russia.	
JOHN SENDZIAK, M. D	Warsaw.
Editor for Poland.	
W. Posthumus Meyjes, M. D Editor for Holland and Bel	
N. RH. BLEGVAD, M D	Copenhagen.
Editor for Denmark and Scar	ndinavia.
HENRY HORN, M. D.	San Francisco
Editor for Germany	

PUBLISHED QUARTERLY,

By Jones H. Parker, Mermod-Jaccard Building, St. Louis, Mo. 1910.




TABLE OF CONTENTS.

I.—Nasal Tuberculosis—Two Cases, One Involving the Right Ethmoid Bone, with Recovery After Operation. By Otto T. Freer, M. D., Chicago
II.—Extension and Flexion in Direct Laryngoscopy—A Comparative Study. By RICHARD H. JOHNSTON, M. D., Baltimore
III.—Hemophilia, with Remarks on the Hemorrhagic Diathesis—Case Reports. By Thomas Hubbard, M. D., Toledo
IV.—A Study of Some Casts of the Infantile Pharynx with Special Reference to the Eustachian Tubes. By WILLIAM C. Braislin, M. D., Brooklyn
V.—The Larynx of Mycetes Seniculus (Howling Monkey). By J. Holinger, M. D., Chicago51
VI.—Zoology of Mycetes Seniculus. By Frank Collins Baker, Chicago
VII.—A Discussion of the Various Inflammations of the Ethmoid Bone as Advanced by Uffenorde in His Work, "Die Erkrankungen des Siebbeines." By Ross HALL SKILLERN, M. D., Philadelphia
VIII.—A Note on Eustachian Obstruction. By WILLIAM C. Braislin, M. D., Brooklyn
IX.—Partial Bibliography of Recent Papers Relating to the Eustachian Tube. By WILLIAM C. BRAISLIN, M. D., Brooklyn
X.—Why the Failures After Radical Mastoid? By John F. BARNHILL, M. D., Indianapolis
XI.—Intranasal Measurements Which Indicate That Palatai Expansion Increases the Width of the Nasal Fossa. By E. E. Foster, M. D., New Bedford

0)1285

XII.—Sinus Thrombosis of Otitic Origin and Its Relation to Streptococcemia. By EMIL GRUENING, M. D., New York
XIII.—A Case of Recurrent Mastoiditis with Involvement of the Labyrinth. By Hugh B. Blackwell, M. D., New York
XIV.—Sinus Thrombosis, Cellulitis of the Foot, and Acute Inflammation of the Thyroid Cartilage. By T. L. SAUNDERS, M. D., New York
XV.—The After-Treatment of Operated Accessory Nasal Cavities. By Henry Horn, M. D., San Francisco163
XVI.—Latest Advances in the Study of Tinnitus Aurium. By D. Bryson Delavan, M. D., New York173
XVII.—Further Observations on Some of the Newer Therapeutic Measures in Ear, Nose and Throat Affections. By JOSEPH C. BECK, M. D., Chicago
XVIII.—Report of Two Cases of Brain Abscess in the Frontal Lobe, Secondary to Ethmoiditis and Frontal Sinusitis. By John McCoy, M. D., New York
XIX.—Observations on the Pathologic Conditions of the Nose and Throat, with Special Reference to the Tubal Regions, Associated with Chronic Catarrhal Otitis Media. (A Study of Fifty Cases.) By HAROLD HAYS, A. M., M. D., New York
XX.—The Classification of Middle and Internal Ear Diseases. By S. J. KOPETZKY, M. D., New York319
XXI.—Obstinate Stenosis of the Larynx Following Diph- theria—Reports of Two Cases. By D. J. GIBB WISHART, M. D., Toronto
XXII.—Laboratory Methods as Aids in Diagnosis of Nose, Throat and Ear Affections. By Joseph C. Beck, M. D., Chicago
XXIII.—Atresia of the External Auditory Canal. By EDGAR A. FORSYTH, M. D., Buffalo

XXIV.—Remarks on the X-Ray Technic in the Treatment of Laryngeal Papillomata in Children. By A. L. Gray, M. D., Richmond
XXV.—Removal of a Rhinestone from the Middle Ear of a Child—Exhibition of Specimen. By CLEMENT F. THEISEN, M. D., Albany
XXVI.—Thrombosis of the Jugular Bulb Without Apparent Involvement of the Lateral Sinus; Unusual Blood Count; Metastasis; Paralysis of External Rectus Oculi. By John R. Page, M. D., New York
XXVII.—Thrombosis of the Lateral Sinus; When to Operate; What Type of Operation to Choose. By E. A. CROCKETT, M. D., Boston
XXVIII.—The Serodiagnosis of Syphilis in Its Relation to Diseases of the Ear. By Edmund Prince Fowler, M. D., New York
XXIX.—The Report of a Case of Cerebral Abscess Occurring in Connection with a Chronic Middle Ear Suppuration. By Hugh B. Blackwell, M. D., New York376
XXX.—Latent Mastoiditis with Epidural Abscess. By AL- FRED BRAUN, M. D., New York381
XXXI.—Report of Two Cases of Lateral Sinus Thrombosis Treated, Postoperatively, with Hiss' Extract of Leucocytes. By Samuel McCullagh, M. D., New York387
XXXII.—The Use of Vaccines, Serums and the Hiss Extract of Leucocytes in the Treatment of Eye, Ear, Nose and Throat Infections, with Reports of Cases. By J. G. DWYER, M. A., M. D., C. M., New York394
XXXIII.—The Subperiosteal Abscess of the Mastoid Region. By Prof. Holger Mygind, Copenhagen
XXXIV.—Operative Procedure for Brain Abscess of Otitic Origin. By L. W. DEAN, M. S., M. D., Iowa City541
XXXV.—The Resection of Bony Deflections of the Nasal Septum. By Otto T. Freer, M. D., Chicago559

XXXVI.—Some Laboratory Aids to Otologic Diagnosis. By Frederick E. Sondern, M. D., New York587
XXXVII.—Quininæ and Urea Hydrochlorate (Syn. Quininæ-Carbamidum, Urea-Quinine) as a Local Anesthetic. By E. FLETCHER INGALS, M. D., Chicago
XXXVIII.—The Manifestations of Recurrent Influenza in the Nose and Throat. By Joseph L. Goodale, M. D., Boston
XXXIX.—Laryngitis Dolorosa. By Wolff Freudenthal. M. D., New York
XL.—The Physiology of the Cochlea (Sammelreferat). By Geo. E. Shambaugh, M. D., Chicago
XLI.—Black Tongue—Lingua Nigra Villosa—With Report of a Case. By Chas. H. Knight, M. D., New York. 631
XLII.—Carcinoma of the Uvula. By E. M. Holmes, M. D., Boston
XLIII.—Syphilitic Stenosis of the Nasopharynx. By J. M. INGERSOLL, A. M., M. D., Cleveland
XLIV.—Some Cases of Otitic Meningitis. By J. E. Sheppard, M. D., Brooklyn
XLV.—Vincent's Angina. By H. Arrowsmith, M. D., Brooklyn
XLVI.—A Case of Tympanic Vertigo. By J. E. Shep-pard, M. D., Brooklyn
XLVII.—Acute Infection of the Larynx, Diagnosis and Treatment. By F. E. HOPKINS, M. D., Springfield, Mass668
XLVIII.—History of a Case of Recurrent Papilloma of the Larynx, Extending Over Thirty Years, During Which Two Thyrotomies Were Performed. By Francis R. Packard, M. D., Philadelphia
XLIX.—A Case of Submaxillary Abscess Caused by the Use of an Infected Toothpick. By CLARENCE PORTER JONES, Newport News

L.—The Respiratory and Vocal Symptoms in Papillomata of the Larynx. By G. Hudson-Makuen, M. D., Philadelphia
LI.—Some Tuning Fork Tests With a Special Auscultation Tube. By L. M. Hubby, M. D., New York688
LII.—Abducens Paralysis and Otitis Media Purulenta. By Chas. E. Perkins, M. D., New York
LIII.—Abscess of the Larynx, With Report of a Case. By J. S. Waterman, M. D., Brooklyn
LIV.—The Sinus Maxillaris and Its Relations in the Embryo, Child, and Adult Man. By JACOB PARSONS SCHAEFFER, A. M., M. D., Ph. D., Ithaca
LV.—The Effect of Maxillary Readjustment Upon the Development of Nasal Chambers and Face. By Geo. V. I. Brown, A. B., D. D. S., M. D., C. M., Milwaukee885
LVI.—Widening the Dental Arches in Nasal Stenosis, Its Results and Possibilities. By Nelson M. Black, M. D., Milwaukee
LVII.—Some Points in the Comparative Anatomy of the Larynx in the Anthropoidea. By J. Gordon Wilson, M. D., Chicago
LVIII.—The Physiology of Tone Perception. By George E. Shambaugh, M. D., Chicago
LIX.—The Present Status of Labyrinthine Surgery. By S. J. KOPETZKY, M. D., New York
LX.—Concerning the Capsulated Bacteria in the Production of Acute Middle Ear Affections. By H. B. Graham, M. D., San Francisco
LXI.—The Anatomic Explanation of Vestibular Nystagmus. By Louis K. Guggenheim, M. D., St. Louis1024
LXII.—An Investigation of Postoperative Conditions Five to Ten Years After Intubation. By Burt R. Shurly, M. D., Detroit

LXIII.—A Case of Purulent Pachymeningitis With Extradural Abscess, Subdural Abscess, and Septic Thrombosis of the Lateral Sinus, Complicating Chronic Suppurative Middle Ear Disease. By James J. Carroll, A. M., M. D., Baltimore
LXIV.—From the Annual Report of the Sanatoria for Tuberculosis in the United States of America and Canada. By J. W. GLEITSMANN, M. D., New York
LXV.—A Case of Brain Abscess With Rare Ocular Symptoms. By C. BARCK, M. D., St. Louis
Society Proceedings
New York Academy of Medicine, Section on Otology177 191, 208, 218, 232, 420, 433, 453, 460, 463, 710, 719
New York Otological Society251, 470, 488, 739, 750
ABSTRACTS FROM CURRENT OTOLOGIC, RHINOLOGIC AND LARYNGOLOGIC LITERATURE:
I.—EAR 502, 763, 1107 II.—Nose 510, 784, 1109 III.—PHARYNX 512, 797, 1116 IV.—LARYNX 515, 803, 1117
V.—MISCELLANEOUS